



# 107 Sets Featuring:

## Minivalco

R404A, R409A,  
R134a, R22 units  
Water and Air Cooled  
From 1/6th to 7 1/2 HP

TECUMSEH - Condensing Units  
CHANDLER - Outdoor Units, Coils  
EMERSON - Flow Controls  
JOHNSON - Temp./Pressure Controls  
GRASSLIN - Defrost Timers  
R.D.M. CON-PAK - Enclosures

### Refrigeration Package Worksheet

March 2009

#### Quick Selection Guide

#### BTUH LOAD

DIMENSIONS	FLOOR SQ. FT.	+35 ROOM USAGE		+30 ROOM USAGE		0 ROOM USAGE		-10 ROOM USAGE		-20 ROOM USAGE	
		AVG.	HVY.	AVG.	HVY.	AVG.	HVY.	AVG.	HVY.	AVG.	HVY.
6x6x8	36	4750	6389	4488	6037	4583	6505	4929	7041	5274	7577
6x8x8	48	5417	7274	5119	6974	5225	7407	5630	8028	6034	8648
6x10x8	60	6055	8100	5722	7655	5806	8213	6265	8911	6725	9609
8x8x8	64	6188	8291	5848	7835	5934	8410	6405	9127	6876	9844
8x10x8	80	6954	9269	6572	8759	6631	9363	7165	10169	7699	10974
8x12x8	96	7669	10174	7247	9614	7273	10234	7867	11123	8461	12011
8x14x8	112	8366	11045	7905	10437	7922	11092	8575	12059	9227	13026
8x16x8	128	9051	11888	8553	11234	8528	11890	9237	12933	9946	13976
8x18x8	144	9748	12732	9212	12032	9169	12732	9936	13852	10702	14972
8x20x8	160	10419	13548	9846	12803	9755	13490	10576	14682	11397	15874
8x22x8	176	11540	14807	10905	13992	10817	14715	11692	15977	12567	17239
8x24x8	192	12224	15622	11552	14763	11386	15439	12314	16769	13242	18099
8x26x8	208	12874	16398	12166	15496	11976	16176	12955	17573	13935	18970
8x28x8	224	13519	17163	12775	16219	12530	16873	13562	18336	14594	19799
8x30x8	240	14187	17947	13407	16960	13108	17587	14191	19115	15274	20642
8x32x8	256	14824	18694	14009	17666	13653	18264	14786	19855	15920	21446
10x10x8	100	7789	10339	7361	9770	7386	10401	7990	11304	8594	12208
10x12x8	120	8626	11385	8152	10759	8138	11405	8809	12401	9481	13397
10x14x8	140	9439	12384	8920	11703	8887	12405	9626	13493	10365	14581
10x16x8	160	10250	13379	9686	12643	9577	13311	10379	14484	11182	15658
10x18x8	180	11049	14349	10441	13560	10279	14216	11144	15472	12009	16728
10x20x8	200	11838	15299	11187	14458	10942	15070	11868	16405	12794	17741
10x24x8	240	13391	17180	12654	16207	12751	17231	13796	18721	14842	20211
10x28x8	280	14891	18922	14072	17881	14043	18844	15205	20482	16367	22120
12x12x8	144	10038	13021	9486	12305	8991	12553	9739	13655	10486	14756
12x14x8	168	10956	14155	10353	13376	10235	14052	11055	15251	11875	16450
12x16x8	192	11886	15284	11232	14443	11029	15082	11919	16375	12810	17667
12x18x8	216	12775	16359	12072	15459	11807	16080	12767	17464	13726	18847
12x20x8	240	13681	17440	12928	16481	12573	17052	13599	18524	14626	19995
12x22x8	264	14549	18474	13749	17458	13299	17974	14392	19541	15485	21086
14x14x8	196	11993	15423	11333	14575	11126	15216	12024	16521	12923	17826
14x16x8	224	13013	16656	12297	15740	11995	16338	12971	17745	13946	19152
14x20x8	280	15011	19042	14185	17795	13687	18487	14811	20088	15935	21688
14x24x8	336	16969	21347	16036	21073	15330	20539	16598	22324	17866	24110
16x16x8	256	14148	18019	13370	17028	12939	17550	13998	19067	15056	20583
16x20x8	320	16349	20631	15450	19496	14777	19873	15996	21598	17215	23323
16x24x8	374	18506	23157	17488	21883	16563	22093	17938	24017	19313	25941
18x18x8	324	16476	20782	15570	19639	14864	19989	16090	21724	17317	23460
18x20x8	360	18128	22644	17131	21398	16305	21678	17617	23523	18930	25369
18x24x8	432	20484	25389	19357	23993	18260	24090	19739	26149	21219	28208
20x20x8	400	19470	24145	18340	22817	17386	23019	18790	24982	20194	26945
20x24x8	480	21988	27132	20779	25640	19453	25566	21036	27755	22619	29945
20x28x8	560	24963	30480	23590	28804	21963	28514	23721	30922	25479	33330
20x32x8	640	27480	33340	25969	31506	23954	30909	25884	33529	27813	36149
20x36x8	720	29946	36127	28299	34140	25919	33251	28017	36077	30115	38903
20x40x8	800	32420	38904	30637	36764	27888	35575	30153	38603	32518	41631
24x40x8	960	38694	45735	36565	43878	34681	43023	37368	46538	39939	49937
28x40x8	1120	43183	50733	40808	48970	38123	47062	41095	50921	43950	54664
32x40x8	1280	48550	56318	45880	55056	42894	51900	46146	56580	49282	60656
36x40x8	1440	54344	62804	51355	61626	46254	56259	49872	60781	53194	65186
40x40x8	1600	58738	67611	55507	66608	49583	60073	53385	64916	57070	69642

Taken from the HEATCRAFT Inc. Quick Selection guide

\*Heavy usage is defined as two times the average air change. Average air changes determined by ASHRAE based on box size for 24 hour period.

Glass Door Loads: Box temperature +35 = 1060 BTU per door, -10 = 1730 BTU per door. - - - Adjusted for 16-18 hour run time. Multiply number of doors times door load and add to box load.

Note: Due to the use of items from various Manufacturers in this Work Sheet, we reserve the right to change prices without notice.

<b>Minneapolis, MN</b> 3340 Gorham Ave. Minneapolis, MN 55426-4267 (952)920-0131 1-800-642-9090 Office FAX (952)920-0236	<b>St. Paul, MN</b> 4749 Old Highway 8 Suite 110 Mounds View, MN 55112-1529 (763)786-5030 1-888-637-3148 FAX (763)786-5052	<b>St. Cloud, MN</b> 940 Industrial Dr. S. Suite 105 Sauk Rapids, MN 56379-1235 (320)654-1500 1-800-924-6142 FAX (320)654-1525	<b>Milwaukee, WI</b> 11250 West Lapham St West Allis, WI 53214-3806 (414)456-0090 1-888-879-2413 FAX (414)456-0091
---	---	---	---



APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA3414YXAXA1-115 stock	288.60
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA10AG (CCH)	175.39
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>930</b>	ALC HFS1/8FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F		ALC EK-033S	8.99
REFRIGERANT / COMP. HP		<b>R-134a / 1/6 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 11.7 W 11.6 H 9.8		ALC SOLENOID NOT USED	
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 16.5		ALC COIL NOT USED	
TYPICAL BOX DIMENSIONS :			GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,18</b>	<b>REACH IN</b>		<b>TOTAL</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA3414Y-Comp Warranty	41.02
ALTERNATE Coil Style or Volt/Phase:	-----		* VA08AG	157.97

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA3417AXAXA1-115 non-stock	339.74
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA13AG (CCH)	226.72
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1235</b>	ALC HFS1/8FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F		ALC EK-033S	8.99
REFRIGERANT / COMP. HP		<b>R-409A / 1/5 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 12.7 W 11.2 H 9.8		ALC SOLENOID NOT USED	
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 20.5		ALC COIL NOT USED	
TYPICAL BOX DIMENSIONS :			GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,18</b>	<b>REACH IN</b>		<b>TOTAL</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA3417A-Comp Warranty	40.18
ALTERNATE Coil Style or Volt/Phase:	-----		* VA12AG	215.11

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA3417YXAXA1-115 non-stock	305.61
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA13AG (CCH)	226.72
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1200</b>	ALC HFS1/8FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F		ALC EK-033S	8.99
REFRIGERANT / COMP. HP		<b>R-134a / 1/5 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 12.7 W 11.2 H 9.8		ALC SOLENOID NOT USED	
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 20.5		ALC COIL NOT USED	
TYPICAL BOX DIMENSIONS :			GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,18</b>	<b>REACH IN</b>		<b>TOTAL</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA3417Y-Comp Warranty	42.14
ALTERNATE Coil Style or Volt/Phase:	-----		* VA12AG	215.11

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA9415ZXAXA1-115 non-stock	396.36
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA17AG (CCH)	264.92
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1610</b>	ALC HFS1/8RC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F		ALC EK-033S	8.99
REFRIGERANT / COMP. HP		<b>R-404A / 1/5 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 16.9 W 13 H 9		ALC SOLENOID NOT USED	
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 24		ALC COIL NOT USED	
TYPICAL BOX DIMENSIONS :			GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,17</b>	<b>REACH IN</b>		<b>TOTAL</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA9415Z-Comp Warranty	46.32
ALTERNATE Coil Style or Volt/Phase:	-----		* VA17AG	242.92

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA3425YXAXA1-115 non-stock	305.35
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA17AG (CCH)	264.92
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1630</b>	ALC HFS1/8FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F		ALC EK-033S	8.99
REFRIGERANT / COMP. HP		<b>R-134a / 1/5 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 12.8 W 11.3 H 9.9		ALC SOLENOID NOT USED	
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 24		ALC COIL NOT USED	
TYPICAL BOX DIMENSIONS :			GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,18</b>	<b>REACH IN</b>		<b>TOTAL</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA3425Y-Comp Warranty	39.82
ALTERNATE Coil Style or Volt/Phase:	-----		* VA17AG	242.92

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA3425AXAXA1-115 non-stock	351.30
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA17AG (CCH)	264.92
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1725</b>	ALC HFS1/8FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F		ALC EK-033S	8.99
REFRIGERANT / COMP. HP		<b>R-409A / 1/5 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 12.7 W 11 H 9.8		ALC SOLENOID NOT USED	
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 24		ALC COIL NOT USED	
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,18</b>		<b>TOTAL</b>	886.58
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA3425A-Comp Warranty	39.70
ALTERNATE Coil Style or Volt/Phase:	-----		* VA17AG	242.92

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA9417EXAXG1-115 non-stock	382.07
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA17AG (CCH)	264.92
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1820</b>	ALC HFS1/4HC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8S / 1/4S		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-22 / 1/5 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
	LESS LOW PRESS		ALC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 12.8 W 11.7 H 9.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 24		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,10</b>		<b>TOTAL</b>	1029.03
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA9415E-Comp Warranty	44.73
ALTERNATE Coil Style or Volt/Phase:	-----		* VA17AG	242.92

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA4430YXAXC1-115 stock	425.73
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA23AG (CCH)	337.33
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1940</b>	ALC HFS1/4FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-134a / 1/4 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.9# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		ALC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 18.5 W 13.2 H 9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 30.75		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	1145.10
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA4430Y-Comp Warranty	43.96
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA4430AXAXB1-115 stock	338.34
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA23AG (CCH)	337.33
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2180</b>	ALC HFS1/4FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-409A / 1/4 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		ALC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 18.5 W 13.2 H 9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 30.75		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8</b>		<b>TOTAL</b>	1057.72
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA4430A-Comp Warranty	32.30
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA9422ZXAXC1-115 non-stock	518.26
SUCTION TEMP. AT DESIGN:	25 DEG		HCR * TA23AG (CCH)	337.33
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2380</b>	ALC HFS1/4RC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F		ALC EK-053S	10.53
REFRIGERANT / COMP. HP		<b>R-404A / 1/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
	LESS LOW PRESS		ALC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 17.9 W 13 H 8.9		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 30.75		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10</b>		<b>TOTAL</b>	1245.98
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA9422Z-Comp Warranty	46.44
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA4440YXAXB1-115 non-stock	390.23
SUCTION TEMP. AT DESIGN:	25 DEG		HCR TA30AG (CCH)	418.61
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2560</b>	ALC HFS1/4FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-052S	10.53
REFRIGERANT / COMP. HP		<b>R-134a / 1/3 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 19.5 W 13.2 H 9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 40		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8</b>		<b>TOTAL</b>	<b>1193.07</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA4440Y-Comp Warranty	34.90
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA9423EXAXC1-115 stock	469.51
SUCTION TEMP. AT DESIGN:	25 DEG		HCR TA30AG (CCH)	418.61
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2580</b>	ALC HFS1/4HC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-22 / 1/4 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 19.4 W 13 H 9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 40		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1270.16</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA9422E-Comp Warranty	45.48
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA4440AXAXC1-115 stock	424.36
SUCTION TEMP. AT DESIGN:	25 DEG		HCR TA30AG (CCH)	418.61
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2780</b>	ALC HFS1/4FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-052S	10.53
REFRIGERANT / COMP. HP		<b>R-409A / 1/3 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 19.5 W 13.2 H 9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 40		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1227.20</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA4440A-Comp Warranty	40.51
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA9429ZXAXC1-115 non-stock	545.23
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC040AK	350.78
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>3160</b>	ALC HFES1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-052S	10.53
REFRIGERANT / COMP. HP		<b>R-404A / 1/3 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.8# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 17.4 W 14 H 10.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1285.96</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9427Z-Comp Warranty	76.19
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AEA4448YXAXC1-115 non-stock	494.18
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC040AK	350.78
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>3180</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-052S	10.53
REFRIGERANT / COMP. HP		<b>R-134a / 1/3 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.3# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 17.2 W 14 H 10.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1234.91</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA4448Y-Comp Warranty	44.26
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA9433EXAXC1-115 stock	524.04
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC040AK	350.78
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>3710</b>	ALC HFES1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-052S	10.53
REFRIGERANT / COMP. HP		<b>R-22 / 1/3 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 17.4 W 14 H 10.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	1264.77
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9428E-Comp Warranty	81.14
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder	-1.88
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA4460YXAXC1-115 non-stock	608.52
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC040AK	350.78
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4030</b>	ALC HFES1/4FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-082S	13.09
REFRIGERANT / COMP. HP		<b>R-134a / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.3# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 17.4 W 14 H 10.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	1351.81
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA4460Y-Comp Warranty	88.98
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder YDXC	.96
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA4461AXAXB1-115 stock	614.41
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC040AK	350.78
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4175</b>	ALC HFES1/4FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-082S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.8# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 16.4 W 14.1 H 10.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8</b>		<b>TOTAL</b>	1357.70
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA4461A-Comp Warranty	82.90
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder AXDXC	3.72
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA9440ZXAXC1-115 non-stock	683.67
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC052AK	377.06
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4500</b>	ALC HFES1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-082S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 20.6 W 14 H 13.2		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 6 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	1453.24
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9438Z-Comp Warranty	82.43
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder	2.96
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA7441AXAXC1-115 stock	615.75
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC052AK	377.06
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4820</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-082S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.8# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 16.3 W 14 H 11.8		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 6 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	1385.32
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA7441A-Comp Warranty	83.86
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder	3.27
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA4476YXAXC1-115 non-stock	708.98
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC052AK	377.06
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4940</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-082S	13.09
REFRIGERANT / COMP. HP		<b>R-134a / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.5# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 20.6 W 13.9 H 13.2		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 6 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1478.55</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA4476Y-Comp Warranty	95.82
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208V adder	26.34
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA9446EXAXC1-115 stock	598.89
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC052AK	377.06
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>5150</b>	ALC HFES1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-082S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.8# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 21.5 W 14 H 12.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 8 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1368.46</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9442E-Comp Warranty	81.14
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder Stock	24.70
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA7441AXAXW1-115 non-stock	897.13
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC052AK	377.06
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>5630</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1/2 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 5.3# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 17 H.9		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 8 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,15,30 WATER COOLED</b>		<b>TOTAL</b>	<b>1616.68</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA7441A-Comp Warranty	83.86
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder	4.69

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA4492AXAXC1-115 stock	705.50
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC065AK	441.22
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>6380</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7.6# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 21.5 W 14 H 12.9		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>8 X 8 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1545.39</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA4492A-Comp Warranty	91.82
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder	-6.95
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA4492YXAXC1-115 non-stock	732.93
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC065AK	441.22
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>6200</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 RF / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-134a / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 6.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 21.5 W 14 H 12.9		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>8 X 8 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1572.82</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA4492Y-Comp Warranty	101.30
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208V deduct	-8.64
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA9460ZDXC1-230208 non-stock	696.64
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC065AK	441.22
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>6600</b>	ALC HFES1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 6# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L24.3 W 18 H 14		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>8 X 9 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1536.53</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9455Z-Comp Warranty	82.02
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA9461EXDXC1-230208 stock	691.23
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC065AK	441.22
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>6900</b>	ALC HFES1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L24.1 W 17.8 H 13.6		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>8 X 10 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1531.11</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9455E-Comp Warranty	88.28
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA7465AXAXE1-115 stock	821.81
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC065AK	441.22
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>7100</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7.6# 90% full		JNC A419ABC-1C	58.19
	L 24 W 17 H 13.3		ALC 200RB3T3	34.62
CONDENSING UNIT DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
CHANDLER COIL DIMENSIONS:		<b>8 X 10 X 8</b>	GRA DTMV40 timer	130.60
TYPICAL BOX DIMENSIONS :			<b>TOTAL</b>	<b>1605.53</b>
SEE UNIT FOOT NOTES on page two:	<b>8,30</b>		TPC AJA7465A-Comp Warranty	101.33
ADD For 4 Year Ext. Comp. Warranty:	-----		RDM PSE-181D	248.66
CON - PAK's Best Weather Enclosure	-----			

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA7465YXAXE1-115 non-stock	823.90
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC065AK	441.22
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>7125</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 RF / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-134a / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 6.4# 90% full		JNC A419ABC-1C	58.19
	L 21.5 W 14 H 12.9		ALC 200RB3T3	34.62
CONDENSING UNIT DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-115	27.69
CHANDLER COIL DIMENSIONS:		<b>8 X 10 X 8</b>	GRA DTMV40 timer	130.60
TYPICAL BOX DIMENSIONS :			<b>TOTAL</b>	<b>1607.62</b>
SEE UNIT FOOT NOTES on page two:	<b>8,30</b>		TPC AJA7461Y-Comp Warranty	111.80
ADD For 4 Year Ext. Comp. Warranty:	-----		1-230208V adder	-13.72
ALTERNATE Coil Style or Volt/Phase:	-----		RDM PSE-181D	248.66
CON - PAK's Best Weather Enclosure	-----			

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA9470EXDXC1-230208 stock	715.42
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC090AK	583.00
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>7750</b>	ALC HFES1HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 24.9 W 17.8 H 13		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>8 X 12 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1697.08</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9462E-Comp Warranty	90.95
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA4512AXDXC1-230208 non-stock	844.17
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC090AK	583.00
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>8200</b>	ALC HFES1FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 6.7# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 24.2 W 17.8 H 13.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>8 X 14 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:		<b>8</b>		
ADD For 4 Year Ext. Comp. Warranty:				
CON - PAK's Best Weather Enclosure	-----			
			<b>TOTAL</b>	<b>1825.83</b>
			TPC AJA4512A-Comp Warranty	113.01
			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		HCR CHT008H2BF1-230208 stock	1541.53
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC090AK	583.00
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>8600</b>	ALC HFES1HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 ID suction 3/8 ID liquid		JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP		<b>R-22 / 1 HP</b>	ALC 200RB3T3	34.62
SPECIAL FEATURES:	RECEIVER cap. 6# 90% full		ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 28.25 W 23.75 H 17.25		GRA DTMV40 timer	130.60
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5			
TYPICAL BOX DIMENSIONS :		<b>8 X 14 X 8</b>		
SEE UNIT FOOT NOTES on page two:		<b>4,5,6,8,16,30,32</b>		
ADD For 4 Year Ext. Comp. Warranty:		<b>Outdoor Unit, Chandler</b>		
			<b>TOTAL</b>	<b>2439.58</b>
			Outdoor unit, W/drier, sight glass, hi, low and head pressure controls, CC heater	
			HCR RRG-0100-Comp Warranty	126.19

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA7480ZDXDC1-230208 stock	877.87
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC090AK	583.00
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>8620</b>	ALC HFES1RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 6# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 24.3 W 17.8 H 13.4		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>10 X 12 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:		<b>6,8,17,30</b>		
ADD For 4 Year Ext. Comp. Warranty:				
CON - PAK's Best Weather Enclosure	-----			
			<b>TOTAL</b>	<b>1859.54</b>
			TPC AJA7494Z-Comp Warranty	110.81
			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJB7465AXDXW1-230208 non-stock	929.02
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC090AK	583.00
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>8900</b>	ALC HFES1FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 5.3# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 17 H 12		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>10 X 12 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:		<b>8,15,30 WATER COOLED</b>		
ADD For 4 Year Ext. Comp. Warranty:				
			<b>TOTAL</b>	<b>1854.51</b>
			TPC AJA7465A-Comp Warranty	101.33

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AKA9479EXDXW1-230208 non-stock	914.18
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC090AK	583.00
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>8950</b>	ALC HFES1HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-082S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 3/4 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.7# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.4 W 14 H 10.5		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>10 X 12 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:		<b>8,15,30 WATER COOLED</b>		
ADD For 4 Year Ext. Comp. Warranty:				
			<b>TOTAL</b>	<b>1833.52</b>
			TPC AKA9462E-Comp Warranty	90.95

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AHA7480AXDXC1-230208 stock	996.37
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC090AK	583.00
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>9350</b>	ALC HFES1FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 S / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 25 W 17.8 H 13		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>10 X 14 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,30</b>		<b>TOTAL</b>	1921.86
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AHA7480A-Comp Warranty	143.35
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208V 3 PH adder	161.99
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA9486EXDXC1-230208 stock	877.83
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC104AK	628.83
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>9500</b>	ALC HFES1HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	LESS LOW PRESS		JNC P70AB-12	56.17
CHANDLER COIL DIMENSIONS:	L 24.2 W 17.8 H 13.2		ALC 200RB3T3	34.62
TYPICAL BOX DIMENSIONS :	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
SEE UNIT FOOT NOTES on page two:	<b>8</b>	<b>8 X 18 X 8</b>	GRA DTMV40 timer	130.60
ADD For 4 Year Ext. Comp. Warranty:	-----		<b>TOTAL</b>	1905.33
CON - PAK's Best Weather Enclosure	-----		TPC AJA9484E-Comp Warranty	107.27
			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		HCR CHT010H2BF1-230208 stock	1734.64
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC104AK	628.83
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>9980</b>	ALC HFES1HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 ID suction 3/8 ID liquid		JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP		<b>R-22 / 1-1/4 HP</b>	ALC 200RB3T3	34.62
SPECIAL FEATURES:	RECEIVER cap. 6# 90% full		ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 28.25 W 23.75 H 17.25		GRA DTMV40 timer	130.60
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		<b>TOTAL</b>	2678.53
TYPICAL BOX DIMENSIONS :		<b>10 X 16 X 8</b>	Outdoor unit, W/drier, sight glass, hi, low	
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,32</b>		and head pressure controls, CC heater	
ADD For 4 Year Ext. Comp. Warranty:	-----		HCR REK-0125-Comp Warranty	128.03
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 3 PH, non-stock	CALL

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AWG4516EXNXC1-230208 non-stock	1067.54
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC104AK	628.83
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>10466</b>	ALC HFES1HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 1 1/2 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 11.3# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.2 W 17.8 H 13.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>10 X 16 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	2038.86
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AWG5515E-Comp Warranty	89.10
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208V 3 PH adder	68.25
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AHA7480AXDXW1-230208 non-stock	1027.23
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC120AK	679.56
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>11895</b>	ALC HFES1FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 S / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 5.3# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.9 W 17 H 15.6		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>12 X 16 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,15,30 WATER COOLED</b>		<b>TOTAL</b>	2049.28
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AHA7480A-Comp Warranty	143.35
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208V 3 PH adder	114.80

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AJA9511EXDXW1-230208 non-stock	363.12
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC120AK	679.56
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>12215</b>	ALC HFES1HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 17 H 13.6		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>10 X 20 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,15,30 WATER COOLED</b>		<b>TOTAL</b>	<b>1385.16</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AJA9484E-Comp Warranty	107.27

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AWA7512ZXDXC1-230208 non-stock	1216.99
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC140AK	803.61
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>13142</b>	ALC HFES1 1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 1 1/2 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 9.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 19.4 H 16.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>12 X 18 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	<b>2363.10</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AWA7512Z-Comp Warranty	140.53
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 VOLT 3 PH adder	123.74
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AWG4520EXNXC1-230208 stock	1109.96
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC140AK	803.61
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>13193</b>	ALC HFES1 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 1 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 11.3# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 19.4 H 16.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>12 X 18 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	<b>2256.07</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AWG4520E-Comp Warranty	103.83
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 VOLT 3 PH adder	66.20
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		HCR CHT015H2BF1-230208 stock	1923.17
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC140AK	803.61
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>13830</b>	ALC HFES1 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 ID suction 3/8 ID liquid		JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP		<b>R-22 / 1-1/2 HP</b>	ALC 200RB3T3	34.62
SPECIAL FEATURES:	RECEIVER cap. 10# 90% full		ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 28.25 W 23.75 H 17.25		GRA DTMV40 timer	130.60
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		<b>TOTAL</b>	<b>3041.83</b>
TYPICAL BOX DIMENSIONS :		<b>12 X 20 X 8</b>	Outdoor unit, W/drier, sight glass, hi, low and head pressure controls, CC heater	
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,32</b>		HCR CRA-0150-Comp Warranty	128.03
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Chandler</b>		3-230208 3 PH adder, stock	45.22
ALTERNATE Coil Style or Volt/Phase:	-----			

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC VSA9510ZTBHG3-230200 non-stock	1923.80
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC140AK	803.61
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>14450</b>	ALC HFES1-1/4SC ANG-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 S / 3/8 S		ALC EK-053S	10.53
REFRIGERANT / COMP. HP		<b>R-404A / 1.3 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 9.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 34.6 W 28.7 H 26.5		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>14 X 20 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,21,30,32,33</b>		<b>TOTAL</b>	<b>3067.34</b>
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Tecumseh Scroll</b>		TPC VSA9490ZXT-Comp Warranty	168.03

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AWG9513EXNXW1-230208 non-stock	1073.26
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC156AK	894.06
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>15000</b>	ALC HFES1 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 1 ½ HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 5.1# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 26.7 W 21 H 16.4		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>14 X 20 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>4,5,15,30 WATER COOLED</b>		<b>TOTAL</b>	<b>2309.81</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AWG4520E-Comp Warranty	103.83
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208V 3 PH adder	144.15
APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AWA7515ZXDXC1-230208 non-stock	1340.76
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC156AK	894.06
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>15654</b>	ALC HFES1 1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 2 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 9.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 19.4 H 16.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>14 X 20 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	<b>2577.31</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AWA7515Z-Comp Warranty	162.52
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40
APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AWA7515ZDXDW1-230208 non-stock	1132.30
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC180AK	1033.39
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>16920</b>	ALC HFES1 1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 2 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 5.6# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.3 W 17 H 15.5		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>14 X 24 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,15,16,30 WATER COOLED</b>		<b>TOTAL</b>	<b>2508.18</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AWA7512Z-Comp Warranty	140.53
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 VOLT 3 PH adder	73.38
APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		HCR CHT020H2BF1-230208 stock	2018.81
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC180AK	1033.39
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>17410</b>	ALC HFES1 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 ID suction 3/8 ID liquid		JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP		<b>R-22 / 2 HP</b>	ALC 200RB3T3	34.62
SPECIAL FEATURES:	RECEIVER cap. 10# 90% full		ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 28.25 W 23.75 H 17.25		GRA DTMV40 timer	130.60
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		<b>TOTAL</b>	<b>3367.25</b>
TYPICAL BOX DIMENSIONS :		<b>18 X 20 X 8</b>	Outdoor unit, W/drier, sight glass, hi, low	
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,32</b>		and head pressure controls, CC heater	
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Chandler</b>		HCR CRD-0200-Comp Warranty	158.58
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 3 PH adder, stock	75.78
APPLICATION TEMPERATURE:	38 DEG HIGH TEMP		TPC AWG4524EXNXM1-230208 stock	1510.39
SUCTION TEMP. AT DESIGN:	25 DEG		HCR RLC180AK	1033.39
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>17888</b>	ALC HFES1 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-22 / 2 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 13.3# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 25 W 33.6 H 19.5		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 61.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>18 X 20 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,16,19,30</b>		<b>TOTAL</b>	<b>2886.28</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AWG5524E-Comp Warranty	76.21
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 VOLT 3 PH adder	127.74
CON - PAK's Best Weather Enclosure	-----		RDM PSE-241D	429.99

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC VSA9515ZNAHG1-230208 non-stock	2080.80
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC208AK	1154.08
SYSTEM DESIGN B.T.U. @ 90° Amb:		ALC HFES1-1/2RC ANG-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S	ALC EK-083S	13.09
REFRIGERANT / COMP. HP		ALC HMI-1TT3	14.35
SPECIAL FEATURES:		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	RECEIVER cap. 12.3# 90% full	ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	L 40.7 W 32 H 26.6	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	H 15 D 13-1/2 L 77-3/4	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:			
ADD For 4 Year Ext. Comp. Warranty:	<b>4,5,6,8,16,19,21,30,32,33</b>	<b>TOTAL</b>	<b>3577.38</b>
ALTERNATE Coil Style or Volt/Phase:	<b>Outdoor Unit, Tecumseh Scroll</b>	TPC VSA9514ZNA-Comp Warranty	172.93
	-----	3-230208 VOLT 3PH deduct	6.92

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC AWG4530EXNXM1-230208 non-stock	1648.23
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC260AK	1434.28
SYSTEM DESIGN B.T.U. @ 90° Amb:		ALC HFES2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S	ALC EK-163S	16.76
REFRIGERANT / COMP. HP		ALC HMI-1TT3	14.35
SPECIAL FEATURES:		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	RECEIVER cap. 13.8# 90% full	ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	L 25 W 33.6 H 19.5	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	H 15 D 15 L 93.5	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:			
ADD For 4 Year Ext. Comp. Warranty:	<b>4,5,6,16,19,30</b>	<b>TOTAL</b>	<b>3428.67</b>
ALTERNATE Coil Style or Volt/Phase:	-----	TPC AWG5530E-Comp Warranty	83.22
CON - PAK's Best Weather Enclosure	-----	3-230208 VOLT 3PH adder	80.68
HEAD PRESSURE CONTROL REG.	Optl. 3-WAY ALCO Headmaster	RDM PSE-241D	429.99
		ALC HP5T4-B	108.57

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC AVA7523ZXNXC1-230208 non-stock	1822.10
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC260AK	1434.28
SYSTEM DESIGN B.T.U. @ 90° Amb:		ALC HFES2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S	ALC EK-163S	16.76
REFRIGERANT / COMP. HP		ALC HMI-1TT3	14.35
SPECIAL FEATURES:		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	RECEIVER cap. 11.7# 90% full	ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	L 25 W 33.6 H 19.5	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	H 15 D 15 L 93.5	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:			
ADD For 4 Year Ext. Comp. Warranty:	<b>4,6,16,30</b>	<b>TOTAL</b>	<b>3602.54</b>
ALTERNATE Coil Style or Volt/Phase:	-----	TPC AVA7524Z-Comp Warranty	130.93
CON - PAK's Best Weather Enclosure	-----	3-230208 VOLT 3PH adder	139.13
HEAD PRESSURE CONTROL REG.	Optl. 3-WAY ALCO Headmaster	RDM PSE-241D	429.99
		ALC HP5T4-B	108.57

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC AVA4540EXNXM1-230208 non-stock	1651.79
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC260AK	1434.28
SYSTEM DESIGN B.T.U. @ 90° Amb:		ALC HFES2 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S	ALC EK-163S	16.76
REFRIGERANT / COMP. HP		ALC HMI-1TT3	14.35
SPECIAL FEATURES:		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	RECEIVER cap. 13.8# 90% full	ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	L 25 W 33.6 H 19.5	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	H 15 D 15 L 93.5	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:			
ADD For 4 Year Ext. Comp. Warranty:	<b>5,6,8,16,19,30</b>	<b>TOTAL</b>	<b>3432.23</b>
ALTERNATE Coil Style or Volt/Phase:	-----	TPC AVA5542E-Comp Warranty	93.58
CON - PAK's Best Weather Enclosure	-----	3-230208 VOLT 3PH adder	153.78
HEAD PRESSURE CONTROL REG.	Optl. 3-WAY ALCO Headmaster	RDM PSE-241D	429.99
		ALC HP5T4-B	108.57

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC VSA9518ZNAHG1-230208 stock	2217.67
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC260AK	1434.28
SYSTEM DESIGN B.T.U. @ 90° Amb:		ALC HFES2RC ANG-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S	ALC EK-083S	13.09
REFRIGERANT / COMP. HP		ALC HMI-1TT3	14.35
SPECIAL FEATURES:		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	RECEIVER cap. 12.3# 90% full	ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	L 40.7 W 32 H 26.5	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	H 15 D 15 L 93.5	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:			
ADD For 4 Year Ext. Comp. Warranty:	<b>4,5,6,8,16,19,21,30,32,33</b>	<b>TOTAL</b>	<b>3994.44</b>
ALTERNATE Coil Style or Volt/Phase:	<b>Outdoor Unit, Tecumseh Scroll</b>	TPC VSA9517ZNA-Comp Warranty	177.06
	-----	3-230208 VOLT 3PH adder	6.92

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	HCR CHT030H2BF1-230208 stock	2345.44
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC260AK	1434.28
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>28640</b>	ALC HFES2 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 ID suction 1/2 ID liquid	JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP	<b>R-22 / 3 HP</b>	ALC 200RB4T4-T	49.23
SPECIAL FEATURES:	RECEIVER cap. 22# 90% full	ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 30.25 W 42.5 H 29.75	GRA DTMV40 timer	130.60
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 93.5	<b>TOTAL</b>	4109.39
TYPICAL BOX DIMENSIONS :	<b>20 X 34 X 8</b>	Outdoor unit, W/drier, sight glass, hi, low	
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,32</b>	and head pressure controls, CC heater	
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Chandler</b>	HCR CRJ-0300-Comp Warranty	159.81
ALTERNATE Coil Style or Volt/Phase:	-----	3-230208 3 PH deduct, stock	-19.25

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC VSA9526ZTBHG3-230200 non-stock	2678.50
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC370AK	1905.75
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>36900</b>	ALC HFES3-1/2RC S/T-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 1/2 S	ALC EK-164S	17.94
REFRIGERANT / COMP. HP	<b>R-404A / 3.4 HP</b>	ALC HMI-1TT4	17.22
SPECIAL FEATURES:	RECEIVER cap. 27.6# 90% full	JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 54 W 35.6 H 31	ALC 200RB4T4-T	49.23
CHANDLER COIL DIMENSIONS:	H 15 D 13-1/2 L 109-3/4	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	<b>20 X 36 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,21,30,32,33</b>	<b>TOTAL</b>	4949.07
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Tecumseh Scroll</b>	TPC VSA9524ZTB-Comp Warranty	187.72

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC AGA4553EXNXM1-230208 non-stock	2207.60
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC370AK	1905.75
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>38250</b>	ALC HFES3HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 1/2 F	ALC EK-164S	17.94
REFRIGERANT / COMP. HP	<b>R-22 / 4 HP</b>	ALC HMI-1TT4	17.22
SPECIAL FEATURES:	RECEIVER cap. 29# 90% full	JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 28.6 W 44.9 H 26.9	ALC 200RB4T4-T	49.23
CHANDLER COIL DIMENSIONS:	H 15 D 13-1/2 L 109-3/4	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	<b>24 X 40 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,30</b>	<b>TOTAL</b>	4478.18
ADD For 4 Year Ext. Comp. Warranty:	-----	TPC AGA5553E-Comp Warranty	145.32
ALTERNATE Coil Style or Volt/Phase:	-----	3-230208V 3PH deduct	-8.58
CON - PAK's Best Weather Enclosure	-----	RDM PSE-311D	573.11
HEAD PRESSURE CONTROL REG.	Optl. 3-WAY ALCO Headmaster	ALC HP5T4-B	108.57

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	HCR CHT040H2BF1-230208 stock	2888.11
SUCTION TEMP. AT DESIGN:	25 DEG	HCR RLC370AK	1905.75
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>39600</b>	ALC HFES3HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1-1/8 ID suction 1/2 ID liquid	JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP	<b>R-22 / 4 HP</b>	ALC 200RB4T4-T	49.23
SPECIAL FEATURES:	RECEIVER cap. 22# 90% full	ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 30.25 W 42.5 H 29.75	GRA DTMV40 timer	130.60
CHANDLER COIL DIMENSIONS:	H 15 D 13-1/2 L 109-3/4	<b>TOTAL</b>	5123.52
TYPICAL BOX DIMENSIONS :	<b>24 X 40 X 8</b>	Outdoor unit, W/drier, sight glass, hi, low	
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,32</b>	and head pressure controls, CC heater	
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Chandler</b>	HCR CRM-0400-Comp Warranty	159.81
ALTERNATE Coil Style or Volt/Phase:	-----	3-230208 3 PH, non-stock	CALL

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC AGA4563EXNXM1-230208 non-stock	2423.12
SUCTION TEMP. AT DESIGN:	25 DEG	HCR HMA450BA 230-1ph	3210.17
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>46000</b>	ALC HFES5 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 1/2 F	ALC EK-304S	29.99
REFRIGERANT / COMP. HP	<b>R-22 / 5 HP</b>	ALC HMI-1TT4	17.22
SPECIAL FEATURES:	RECEIVER cap. 43# 90% full	JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 28.6 W 44.9 H 26.9	ALC 200RB4T4-T	49.23
CHANDLER COIL DIMENSIONS:	H 25 D 23 L 95.5	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	<b>28 X 40 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,30</b>	<b>TOTAL</b>	6010.16
ADD For 4 Year Ext. Comp. Warranty:	-----	TPC AGA5561E-Comp Warranty	147.93
ALTERNATE Coil Style or Volt/Phase:	-----	3-230208V 3PH deduct	-64.72
CON - PAK's Best Weather Enclosure	-----	RDM PSE-311D	573.11
HEAD PRESSURE CONTROL REG.	Optl. 3-WAY ALCO Headmaster	ALC HP5T4-B	108.57

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	HCR CHT050H2CF3-230208 non-stock	3212.00
SUCTION TEMP. AT DESIGN:	25 DEG	HCR HMA450BA 230-1ph	3210.17
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>46250</b>	ALC HFES5 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1-1/8 ID suction 1/2 ID liquid	JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP	<b>R-22 / 5 HP</b>	ALC 200RB4T4-T	49.23
SPECIAL FEATURES:	RECEIVER cap. 22# 90% full	ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 30.25 W 42.5 H 29.75	GRA DTMV40 timer	130.60
CHANDLER COIL DIMENSIONS:	H 25 D 23 L 95.5	<b>TOTAL</b>	6751.83
TYPICAL BOX DIMENSIONS :	<b>32 X 40 X 8</b>	Outdoor unit, W/drier, sight glass, hi, low	
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,32</b>	and head pressure controls, CC heater	
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Chandler</b>	HCR CRN-0500-Comp Warranty	159.81
ALTERNATE Coil Style or Volt/Phase:	-----	1-230208 1 PH, non-stock	CALL

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC AGA4572EXNXM1-230208 non-stock	2415.17
SUCTION TEMP. AT DESIGN:	25 DEG	HCR HMA450BA 230-1ph	3210.17
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>49500</b>	ALC HFES5 1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 1/2 F	ALC EK-304S	29.99
REFRIGERANT / COMP. HP	<b>R-22 / 6 HP</b>	ALC HMI-1TT4	17.22
SPECIAL FEATURES:	RECEIVER cap. 43# 90% full	JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 28.6 W 44.9 H 26.9	ALC 200RB4T4-T	49.23
CHANDLER COIL DIMENSIONS:	H 25 D 23 L 95.5	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	<b>32 X 40 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,30</b>	<b>TOTAL</b>	6002.21
ADD For 4 Year Ext. Comp. Warranty:	-----	TPC AGA5568E-Comp Warranty	165.92
ALTERNATE Coil Style or Volt/Phase:	-----	3-230208V 3PH deduct	-115.86
CON - PAK's Best Weather Enclosure	-----	RDM PSE-311D	573.11
HEAD PRESSURE CONTROL REG.	Optl. 3-WAY ALCO Headmaster	ALC HP5T4-B	108.57

APPLICATION TEMPERATURE:	38 DEG HIGH TEMP	TPC VSA9542ZXTHG3-230200 non-stock	2961.78
SUCTION TEMP. AT DESIGN:	25 DEG	HCR HMA600BA 230-1ph	3967.03
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>57749</b>	ALC HFES5RC S/T-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 1/2 S	ALC EK-164S	17.94
REFRIGERANT / COMP. HP	<b>R-404A / 5.1 HP</b>	ALC HMI-1TT4	17.22
SPECIAL FEATURES:	RECEIVER cap. 27.6# 90% full	JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 54 W 35.6 H 31	ALC 200RB4T4-T	49.23
CHANDLER COIL DIMENSIONS:	H 25 D 22-7/8 L 123-3/10	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	<b>36 X 40 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,21,30,32,33</b>	<b>TOTAL</b>	7293.63
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Tecumseh Scroll</b>	TPC VSA9536ZXT-Comp Warranty	211.59

# Low Temp units following (-10°F suction)

APPLICATION TEMPERATURE:	O DEG LOW TEMP				
SUCTION TEMP. AT DESIGN:	-10 DEG				
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>700</b>			
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F				
REFRIGERANT / COMP. HP			<b>R-409A / 1/5 HP</b>		
SPECIAL FEATURES:	<b>NO RECEIVER</b>				
CONDENSING UNIT DIMENSIONS:	L 12.7 W 11.2 H 9.8				
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 16.5				
TYPICAL BOX DIMENSIONS :			<b>REACH IN</b>		
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,18</b>				
ADD For 4 Year Ext. Comp. Warranty:					
					TPC AEA1360AXAXA1-115 stock 340.26
					HCR TL09AG 292.72
					ALC HFS1/8FC-sweat 58.23
					ALC EK-032S 8.34
					ALC HMI-1TT2 14.08
					JNC A419ABC-1C 58.19
					ALC SOLENOID NOT USED
					ALC COIL NOT USED
					GRA DTMV40 timer 130.60
					<b>TOTAL 902.42</b>
					TPC AEA1360A-Comp Warranty 40.94

APPLICATION TEMPERATURE:	O DEG LOW TEMP				
SUCTION TEMP. AT DESIGN:	-10 DEG				
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>770</b>			
SUCTION / LIQUID LINE SIZE:	3/8 S / 1/4 S				
REFRIGERANT / COMP. HP			<b>R-22 / 1/5 HP</b>		
SPECIAL FEATURES:	<b>NO RECEIVER</b>				
CONDENSING UNIT DIMENSIONS:	L 12.8 W 11.7 H 9.9				
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 20.5				
TYPICAL BOX DIMENSIONS :			<b>REACH IN</b>		
SEE UNIT FOOT NOTES on page two:	<b>7,10</b>				
ADD For 4 Year Ext. Comp. Warranty:					
					TPC AEA9417EXAXG1-115 non-stock 382.07
					HCR TL12AG 351.69
					ALC HFS1/4HC-sweat 58.23
					ALC EK-032S 8.34
					ALC HMI-1TT2 14.08
					JNC A419ABC-1C 58.19
					ALC SOLENOID NOT USED
					ALC COIL NOT USED
					GRA DTMV40 timer 130.60
					<b>TOTAL 1003.21</b>
					TPC AEA9415E-Comp Warranty 44.73

APPLICATION TEMPERATURE:	O DEG LOW TEMP				
SUCTION TEMP. AT DESIGN:	-10 DEG				
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>820</b>			
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F				
REFRIGERANT / COMP. HP			<b>R-404A / 1/5 HP</b>		
SPECIAL FEATURES:	<b>NO RECEIVER</b>				
CONDENSING UNIT DIMENSIONS:	L 16.9 W 13 H 9				
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 20.5				
TYPICAL BOX DIMENSIONS :			<b>REACH IN</b>		
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,17</b>				
ADD For 4 Year Ext. Comp. Warranty:					
					TPC AEA9415ZXAXA1-115 non-stock 396.36
					HCR TL12AG 351.69
					ALC HFS1/8RC-sweat 58.23
					ALC EK-033S 8.99
					ALC HMI-1TT3 14.35
					JNC A419ABC-1C 58.19
					ALC SOLENOID NOT USED
					ALC COIL NOT USED
					GRA DTMV40 timer 130.60
					<b>TOTAL 1018.42</b>
					TPC AEA9415Z-Comp Warranty 46.32

APPLICATION TEMPERATURE:	O DEG LOW TEMP				
SUCTION TEMP. AT DESIGN:	-10 DEG				
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1000</b>			
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F				
REFRIGERANT / COMP. HP			<b>R-404A / 1/4 HP</b>		
SPECIAL FEATURES:	RECEIVER cap. 2.46# 90% full				
	LESS LOW PRESS				
CONDENSING UNIT DIMENSIONS:	L 18.5 W 13 H 9				
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 20.5				
TYPICAL BOX DIMENSIONS :			<b>REACH IN</b>		
SEE UNIT FOOT NOTES on page two:	<b>8</b>				
ADD For 4 Year Ext. Comp. Warranty:					
					TPC AEA2410ZXAXC1-115 non-stock 459.82
					HCR TL12AG 351.69
					ALC HFS1/8RC-sweat 58.23
					ALC EK-032S 8.34
					ALC HMI-1TT2 14.08
					JNC A419ABC-1C 58.19
					JNC P70AB-12 56.17
					ALC 100RB2S2 28.74
					ALC AMG-115 27.69
					GRA DTMV40 timer 130.60
					<b>TOTAL 1193.55</b>
					TPC AEA2380Z-Comp Warranty 50.55

APPLICATION TEMPERATURE:	O DEG LOW TEMP				
SUCTION TEMP. AT DESIGN:	-10 DEG				
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1220</b>			
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F				
REFRIGERANT / COMP. HP			<b>R-22 / 1/3 HP</b>		
SPECIAL FEATURES:	RECEIVER cap. 3.4# 90% full				
	LESS LOW PRESS				
CONDENSING UNIT DIMENSIONS:	L 17.4 W 14 H 10.9				
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 20.5				
TYPICAL BOX DIMENSIONS :			<b>REACH IN</b>		
SEE UNIT FOOT NOTES on page two:	<b>8</b>				
ADD For 4 Year Ext. Comp. Warranty:					
ALTERNATE Coil Style or Volt/Phase:	-----				
CON - PAK's Best Weather Enclosure	-----				
					TPC AKA9433EXAXC1-115 stock 524.04
					HCR TL12AG 351.69
					ALC HFS1/4HC-sweat 58.23
					ALC EK-032S 8.34
					ALC HMI-1TT2 14.08
					JNC A419ABC-1C 58.19
					JNC P70AB-12 56.17
					ALC 100RB2S2 28.74
					ALC AMG-115 27.69
					GRA DTMV40 timer 130.60
					<b>TOTAL 1257.77</b>
					TPC AKA9428E-Comp Warranty 81.14
					1-230208 adder -1.88
					RDM PSE-181D 248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AEA9422ZXAXC1-115 non-stock	518.26
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL12AG	351.69
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1240</b>	ALC HFS1/4RC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 3/8 F		ALC EK-033S	8.99
REFRIGERANT / COMP. HP		<b>R-404A / 1/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 17.9 W 13 H 8.9		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 20.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10</b>		<b>TOTAL</b>	<b>1258.80</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA9422Z-Comp Warranty	46.44
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AEA2410AXAXC1-115 non-stock	442.41
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL12AG	351.69
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1250</b>	ALC HFS1/8FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-409A / 1/4 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 19.4 W 13.2 H 9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 4.5 D 13.5 L 20.5		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1176.15</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AEA2410A-Comp Warranty	54.22

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AEA2413ZXAXC1-115 non-stock	463.56
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL16AG	434.81
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1340</b>	ALC HFS1/8RC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-404A / 1/3 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 18.5 W 13 H 9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 24		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1280.40</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AEA2411Z-Comp Warranty	53.39

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AKA9479EXDXW1-230208 non-stock	914.18
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL16AG	434.81
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1406</b>	ALC HFS1/4HC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-22 / 3/4 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.7# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		ALC 100RB2S2	28.74
CONDENSING UNIT DIMENSIONS:	L 21.4 W 14 H 10.5		ALC AMG-115	27.69
CHANDLER COIL DIMENSIONS:	H 4.5 D 14.5 L 24		GRA DTMV40 timer	130.60
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	<b>TOTAL</b>	<b>1674.86</b>
SEE UNIT FOOT NOTES on page two:	<b>8,15,30 WATER COOLED</b>		TPC AKA9462E-Comp Warranty	90.95
ADD For 4 Year Ext. Comp. Warranty:				

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AKA9440ZXAXC1-115 non-stock	683.67
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL21AG	494.08
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1700</b>	ALC HFS1/4RC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-404A / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 20.6 W 14 H 13.2		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 6.75 D 16.5 L 24		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1559.79</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9438Z-Comp Warranty	82.43
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder	2.96
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AKA9446EXAXC1-115 stock	598.89
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL21AG	494.08
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1800</b>	ALC HFS1/4HC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-22 / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.8# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 21.5 W 14 H 12.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 6.75 D 16.5 L 24		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1475.01</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9442E-Comp Warranty	81.14
ALTERNATE Coil Style or Volt/Phase:	-----		1-230208VOLT adder	24.70
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AEA2415AABXC1-115 stock	422.86
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL21AG	494.08
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>1800</b>	ALC HFS1/4FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	3/8 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-409A / 1/3 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.4# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L 19.4 W 13.2 H 9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 6.75 D 16.5 L 24		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1298.99</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AEA2415A-Comp Warranty	53.90
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AJA7441AXAXW1-115 non-stock	897.13
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL21AG	494.08
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2080</b>	ALC HFS1/4FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-033S	8.99
REFRIGERANT / COMP. HP		<b>R-409A / 1/2 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 5.3# 90% full		JNC A419ABC-1C	58.19
	L 24 W 17 H 11.63		ALC 200RB3T3	34.62
CONDENSING UNIT DIMENSIONS:	H 6.75 D 16.5 L 24		ALC AMG-VOLT	27.69
CHANDLER COIL DIMENSIONS:		<b>REACH IN</b>	GRA DTMV40 timer	130.60
TYPICAL BOX DIMENSIONS :			<b>TOTAL</b>	<b>1723.89</b>
SEE UNIT FOOT NOTES on page two:	<b>8,15,30 WATER COOLED</b>		TPC AJA7441A-Comp Warranty	83.86
ADD For 4 Year Ext. Comp. Warranty:	-----		1-230208V adder	4.69
ALTERNATE Coil Style or Volt/Phase:				

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AJA2422ZXAXC1-115 stock	653.61
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL21AG	494.08
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2180</b>	ALC HFS1/4RC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-032S	8.34
REFRIGERANT / COMP. HP		<b>R-404A / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 2.8# 90% full		JNC A419ABC-1C	58.19
	L 16.4 W 14 H 11.6		ALC 200RB3T3	34.62
CONDENSING UNIT DIMENSIONS:	H 6.75 D 16.5 L 24		ALC AMG-VOLT	27.69
CHANDLER COIL DIMENSIONS:		<b>REACH IN</b>	GRA DTMV40 timer	130.60
TYPICAL BOX DIMENSIONS :			<b>TOTAL</b>	<b>1479.44</b>
SEE UNIT FOOT NOTES on page two:	<b>8</b>		TPC AJA2419Z-Comp Warranty	101.43
ADD For 4 Year Ext. Comp. Warranty:	-----			

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AKA9461EXDXC1-230208 stock	691.23
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL28BG 230-1ph	622.11
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2600</b>	ALC HFS1/4HC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-053S	10.53
REFRIGERANT / COMP. HP		<b>R-22 / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L21.4 W 17.8 H 13.6		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 6.75 D 14.5 L 31.75		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1703.72</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9455E-Comp Warranty	88.28
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AJA2425AXAXC1-115 non-stock	631.11
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL28BG 230-1ph	622.11
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2780</b>	ALC HFS1/4FC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	1/2 F / 1/4 F		ALC EK-052S	10.53
REFRIGERANT / COMP. HP		<b>R-409A / 1/2 HP</b>	ALC HMI-1TT2	14.08
SPECIAL FEATURES:	RECEIVER cap. 3.8# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L16.4 W 14.1 H 10.9		ALC 100RB2S2	28.74
CHANDLER COIL DIMENSIONS:	H 6.75 D 14.5 L 31.75		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1637.45</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA2425A-Comp Warranty	91.87
ALTERNATE Coil Style or Volt/Phase:			TPC 1-230208 deduct	-23.91
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AJA2429ZXAXB1-115 stock	752.82
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL28BG 230-1ph	622.11
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>2890</b>	ALC HFS1/4RC-sweat	58.23
SUCTION / LIQUID LINE SIZE:	1/2 RF / 3/8 F		ALC EK-053S	10.53
REFRIGERANT / COMP. HP		<b>R-404A / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	NO RECEIVER		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L21.4 W 13.9 H 12.9		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 6.75 D 14.5 L 31.75		ALC AMG-115	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>7,8,10,17</b>		<b>TOTAL</b>	<b>1765.31</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA2425Z-Comp Warranty	95.83
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AKA9460ZDXC1-230208 non-stock	696.64
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL35BG 230-1ph	701.56
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>3054</b>	ALC HFES1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 6# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L24.3 W 18 H 14		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 6.75 D 16.5 L 38.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1796.86</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9455Z-Comp Warranty	82.02
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AKA9470EXDXC1-230208 stock	715.42
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL35BG 230-1ph	701.56
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>3200</b>	ALC HFES1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	1/2 F / 3/8 F		ALC EK-053S	10.53
REFRIGERANT / COMP. HP		<b>R-22 / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L24.9 W 17.8 H 13		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 6.75 D 16.5 L 38.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1813.07</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AKA9462E-Comp Warranty	90.95
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AJA9486EXDXC1-230208 stock	877.83
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR TL35BG 230-1ph	701.56
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>3600</b>	ALC HFES1/2HC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 F / 3/8 F		ALC EK-053S	10.53
REFRIGERANT / COMP. HP		<b>R-22 / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7# 90% full		JNC A419ABC-1C	58.19
	LESS LOW PRESS		JNC P70AB-12	56.17
CONDENSING UNIT DIMENSIONS:	L24.2 W 17.8 H 13.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 6.75 D 16.5 L 38.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8</b>		<b>TOTAL</b>	<b>1975.49</b>
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA9484E-Comp Warranty	107.27
CON - PAK's Best Weather Enclosure			RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AHA2435AXDXC1-230208 non-stock	1031.26
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC040BK 230-1ph	577.81
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4100</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 3/4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7.6# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.9 W 17 H 14.6		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,30</b>		<b>TOTAL</b>	1951.56
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AHA2435A-Comp Warranty	150.90
CON - PAK's Best Weather Enclosure	-----		RDM PSE-181D	248.66

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AJA7480ZDXC1-230208 stock	877.87
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC047BK 230-1ph	650.53
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4330</b>	ALC HFES1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 F / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 6# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.3 W 17.8 H 13.4		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>REACH IN</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>6,8,17,30</b>		<b>TOTAL</b>	1870.89
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AJA7494Z-Comp Warranty	110.81
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AWA2448ZDXC1-230208 non-stock	956.77
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC047BK 230-1ph	650.53
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4838</b>	ALC HFES1/2RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 6.3# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 17.8 H 15.4		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 6 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	1949.79
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AWA2440Z-Comp Warranty	137.62
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208V 3 PH adder	28.73
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AHA2445AXDXC1-230208 non-stock	1011.49
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC047BK 230-1ph	650.53
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>4900</b>	ALC HFES1/2FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 RS / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 7.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.9 W 17.8 H 15.6		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 29.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 6 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,30</b>		<b>TOTAL</b>	2004.51
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC AHA2445A-Comp Warranty	155.87
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC VSA9510ZTBHG3-230200 non-stock	1923.80
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC065BK 230-1ph	776.11
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>5070</b>	ALC HFES1/2RC ANG-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 S / 3/8 S		ALC EK-053S	10.53
REFRIGERANT / COMP. HP		<b>R-404A / 1.3 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 9.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 34.6 W 28.7 H 26.5		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 13-1/2 L 45-3/4		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 6 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,21,30,32,33</b>		<b>TOTAL</b>	3039.84
ADD For 4 Year Ext. Comp. Warranty:	-----		TPC VSA9490ZXT-Comp Warranty	168.03
CON - PAK's Best Weather Enclosure	-----		<b>Outdoor Unit, Tecumseh Scroll</b>	

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AWA7512ZXDXC1-230208 non-stock	1216.99
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC065BK 230-1ph	776.11
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>5910</b>	ALC HFES1RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 1½ HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 9.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 19.4 H 16.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 13-1/2 L 45-3/4		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>6 X 10 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	<b>2335.60</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AWA7512Z-Comp Warranty	140.53
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208V 3 PH adder	123.74
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AWA2464ZXDXC1-230208 stock	1115.63
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC065BK 230-1ph	776.11
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>6450</b>	ALC HFES1RC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 1½ HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 9.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 17.8 H 15.4		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 13-1/2 L 45-3/4		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>8 X 8 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	<b>2234.23</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AWA2460Z-Comp Warranty	140.30
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208V 3 PH adder	230.95
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AHA2466AXDXC1-230208 stock	1119.27
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC075BK 230-1ph	814.92
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>6900</b>	ALC HFES1FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1½ HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 13# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.9 W 19.4 H 16.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>8 X 10 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,30</b>		<b>TOTAL</b>	<b>2276.68</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AHA2466A-Comp Warranty	159.71
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208V 3 PH adder	134.90
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AHA2466AXDXW1-230208 non-stock	1153.41
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC075BK 230-1ph	814.92
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>7300</b>	ALC HFES1FC-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-409A / 1 ½ HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 5.3# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.9 W 17 H 8.5		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>10 X 10 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>8,15,30 WATER COOLED</b>		<b>TOTAL</b>	<b>2310.82</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AHA2466A-Comp Warranty	735.31

APPLICATION TEMPERATURE:	O DEG LOW TEMP		TPC AWA2479ZXDXC1-230208 stock	1231.26
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC075BK 230-1ph	814.92
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>7871</b>	ALC HFES1RW-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP		<b>R-404A / 2 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 9.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 19.4 H 16.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5		ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :		<b>10 X 10 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	<b>2388.67</b>
ADD For 4 Year Ext. Comp. Warranty:			TPC AWA2460Z-Comp Warranty	140.30
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 VOLT 3PH adder	169.50
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE:	0 DEG LOW TEMP		HCR CHT014L6BF1-230208 stock	1954.64
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC090BK 230-1ph	876.03
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>8340</b>	ALC HFES1RW-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 ID suction 3/8 ID liquid		JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP	<b>R-404A/507 / 1 1/2 HP</b>		ALC 200RB3T3	34.62
SPECIAL FEATURES:	RECEIVER cap. 5.5# 90% full		ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 28.25 W 23.75 H 17.25		<b>TOTAL</b>	3015.12
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5	<b>8 X 10 X 8</b>	Outdoor unit, W/drier, sight glass, hi, low and head pressure controls, CC heater and defrost timer.	
TYPICAL BOX DIMENSIONS :			HCR CF06K6E-Comp Warranty	128.03
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,32</b>		3-230208 3 PH adder, non-stock	CALL
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Chandler</b>			
ALTERNATE Coil Style or Volt/Phase:	-----			

APPLICATION TEMPERATURE:	0 DEG LOW TEMP		TPC AWA2488ZDXW1-230208 non-stock	1176.60
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC090BK 230-1ph	876.03
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>8764</b>	ALC HFES1RW-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 F		ALC EK-083S	13.09
REFRIGERANT / COMP. HP	<b>R-404A / 2 HP</b>		ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 5.1# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24.3 W 17 H 15.7		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5	<b>10 X 12 X 8</b>	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :			GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>4,8,15,30 WATER COOLED</b>		<b>TOTAL</b>	2395.13
ADD For 4 Year Ext. Comp. Warranty:			TPC AWA2460Z-Comp Warranty	140.30

APPLICATION TEMPERATURE:	0 DEG LOW TEMP		TPC AWA2490ZDXC1-230208 non-stock	1461.57
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC090BK 230-1ph	876.03
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>8790</b>	ALC HFES1RW-sweat	63.95
SUCTION / LIQUID LINE SIZE:	5/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP	<b>R-404A / 2 1/4 HP</b>		ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 11.7# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 25 W 33.6 H 19.5		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5	<b>10 X 12 X 8</b>	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :			GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>6,16,30</b>		<b>TOTAL</b>	2680.09
ADD For 4 Year Ext. Comp. Warranty:			TPC AWA2460Z-Comp Warranty	140.30
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 VOLT 3PH adder	121.22
CON - PAK's Best Weather Enclosure	-----		RDM PSE-241D	429.99

APPLICATION TEMPERATURE:	0 DEG LOW TEMP		HCR CHT019L6CF3-230208 non-stock	2108.64
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC090BK 230-1ph	876.03
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>9350</b>	ALC HFES1RW-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 ID suction 3/8 ID liquid		JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP	<b>R-404A/507 / 1 1/2 HP</b>		ALC 200RB3T3	34.62
SPECIAL FEATURES:	RECEIVER cap. 9# 90% full		ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 28.25 W 37.75 H 17.25		<b>TOTAL</b>	3169.12
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5	<b>8 X 10 X 8</b>	Outdoor unit, W/drier, sight glass, hi, low and head pressure controls, CC heater and defrost timer.	
TYPICAL BOX DIMENSIONS :			HCR CF06K6E-Comp Warranty	128.03
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,32</b>		1-230208 1 PH deduct, non-stock	CALL
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Chandler</b>			
ALTERNATE Coil Style or Volt/Phase:	-----			

APPLICATION TEMPERATURE:	0 DEG LOW TEMP		TPC AVA2510ZXNXC1-230208 stock	1337.70
SUCTION TEMP. AT DESIGN:	-10 DEG		HCR ELC090BK 230-1ph	876.03
SYSTEM DESIGN B.T.U. @ 90° Amb:		<b>9999</b>	ALC HFE1 1/2RW-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S		ALC EK-083S	13.09
REFRIGERANT / COMP. HP	<b>R-404A / 2 1/2 HP</b>		ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 10.8# 90% full		JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 24 W 19.4 H 16.2		ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 45.5	<b>10 X 14 X 8</b>	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :			GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>		<b>TOTAL</b>	2556.23
ADD For 4 Year Ext. Comp. Warranty:			TPC AVA2490Z-Comp Warranty	164.90
ALTERNATE Coil Style or Volt/Phase:	-----		3-230208 VOLT 3PH adder	79.66
CON - PAK's Best Weather Enclosure	-----		RDM PSE-201D	284.40

APPLICATION TEMPERATURE: SUCTION TEMP. AT DESIGN: SYSTEM DESIGN B.T.U. @ 90° Amb: SUCTION / LIQUID LINE SIZE: REFRIGERANT / COMP. HP SPECIAL FEATURES: CONDENSING UNIT DIMENSIONS: CHANDLER COIL DIMENSIONS: TYPICAL BOX DIMENSIONS : SEE UNIT FOOT NOTES on page two: ADD For 4 Year Ext. Comp. Warranty: ALTERNATE Coil Style or Volt/Phase:	O DEG LOW TEMP -10 DEG  7/8 S / 3/8 S  <b>R-404A / 2 HP</b> RECEIVER cap. 12.3# 90% full L 40.7 W 32 H 26.6 H 15 D 13-1/2 L 61-3/4 <b>10 X 14 X 8</b> <b>4,5,6,8,16,19,21,30,32,33</b> <b>Outdoor Unit, Tecumseh Scroll</b> -----	TPC VSA9515ZNAHG1-230208 non-stock 2080.80 HCR ELC120BK 230-1ph 1095.42 ALC HFES1-1/4SZ S/T-sweat 63.95 ALC EK-053S 10.53 ALC HMI-1TT3 14.35 JNC A419ABC-1C 58.19 ALC 200RB3T3 34.62 ALC AMG-VOLT 27.69 GRA DTMV40 timer 130.60 <b>TOTAL</b> 3516.15 TPC VSA9514ZNA-Comp Warranty 172.93 3-230208 VOLT 3PH deduct 6.92
APPLICATION TEMPERATURE: SUCTION TEMP. AT DESIGN: SYSTEM DESIGN B.T.U. @ 90° Amb: SUCTION / LIQUID LINE SIZE: REFRIGERANT / COMP. HP SPECIAL FEATURES: CONDENSING UNIT DIMENSIONS: CHANDLER COIL DIMENSIONS: TYPICAL BOX DIMENSIONS : SEE UNIT FOOT NOTES on page two: ADD For 4 Year Ext. Comp. Warranty: ALTERNATE Coil Style or Volt/Phase: CON - PAK's Best Weather Enclosure	O DEG LOW TEMP -10 DEG  7/8 S / 3/8 S  <b>R-404A / 3 HP</b> RECEIVER cap. 11.6# 90% full L 25 W 33.6 H 19.5 H 15 D 13-1/2 L 61-3/4 <b>12 X 16 X 8</b> <b>5,8,30</b> ----- -----	TPC AVA2512ZXNXM1-230208 stock 1661.08 HCR ELC120BK 230-1ph 1095.42 ALC HFE1 1/2RW-sweat 63.95 ALC EK-083S 13.09 ALC HMI-1TT3 14.35 JNC A419ABC-1C 58.19 ALC 200RB3T3 34.62 ALC AMG-VOLT 27.69 GRA DTMV40 timer 130.60 <b>TOTAL</b> 3098.99 TPC AVA2490Z-Comp Warranty 164.90 3-230208 VOLT 3PH adder 90.68 RDM PSE-241D 429.99
APPLICATION TEMPERATURE: SUCTION TEMP. AT DESIGN: SYSTEM DESIGN B.T.U. @ 90° Amb: SUCTION / LIQUID LINE SIZE: REFRIGERANT / COMP. HP SPECIAL FEATURES: CONDENSING UNIT DIMENSIONS: CHANDLER COIL DIMENSIONS: TYPICAL BOX DIMENSIONS : SEE UNIT FOOT NOTES on page two: ADD For 4 Year Ext. Comp. Warranty: ALTERNATE Coil Style or Volt/Phase:	O DEG LOW TEMP -10 DEG  7/8 S / 3/8 S  <b>R-404A / 2 1/2 HP</b> RECEIVER cap. 12.3# 90% full L 40.7 W 32 H 26.5 H 15 D 13-1/2 L 61-3/4 <b>10 X 20 X 8</b> <b>4,5,6,8,16,19,21,30,32,33</b> <b>Outdoor Unit, Tecumseh Scroll</b> -----	TPC VSA9518ZNAHG1-230208 stock 2217.67 HCR ELC120BK 230-1ph 1095.42 ALC HFES1-1/4SZ S/T-sweat 63.95 ALC EK-053S 10.53 ALC HMI-1TT3 14.35 JNC A419ABC-1C 58.19 ALC 200RB3T3 34.62 ALC AMG-VOLT 27.69 GRA DTMV40 timer 130.60 <b>TOTAL</b> 3653.02 TPC VSA9517ZNA-Comp Warranty 177.06 3-230208 VOLT 3PH adder 6.92
APPLICATION TEMPERATURE: SUCTION TEMP. AT DESIGN: SYSTEM DESIGN B.T.U. @ 90° Amb: SUCTION / LIQUID LINE SIZE: REFRIGERANT / COMP. HP SPECIAL FEATURES: CONDENSING UNIT DIMENSIONS: CHANDLER COIL DIMENSIONS: TYPICAL BOX DIMENSIONS : SEE UNIT FOOT NOTES on page two: ADD For 4 Year Ext. Comp. Warranty: ALTERNATE Coil Style or Volt/Phase:	O DEG LOW TEMP -10 DEG  7/8 S / 3/8 F  <b>R-404A / 3 HP</b> RECEIVER cap. 5.6# 90% full L 24.3 W 17 H 16.6 H 15 D 13-1/2 L 61-3/4 <b>12 X 18 X 8</b> <b>4,5,15,30 WATER COOLED</b> -----	TPC AVA2512ZXNXW1-230208 non-stock 1240.74 HCR ELC120BK 230-1ph 1095.42 ALC HFE1 1/2RW-sweat 63.95 ALC EK-083S 13.09 ALC HMI-1TT3 14.35 JNC A419ABC-1C 58.19 ALC 200RB3T3 34.62 ALC AMG-VOLT 27.69 GRA DTMV40 timer 130.60 <b>TOTAL</b> 2678.65 TPC AVA2490Z-Comp Warranty 164.90 3-230208 VOLT 3PH adder 60.87
APPLICATION TEMPERATURE: SUCTION TEMP. AT DESIGN: SYSTEM DESIGN B.T.U. @ 90° Amb: SUCTION / LIQUID LINE SIZE: REFRIGERANT / COMP. HP SPECIAL FEATURES: CONDENSING UNIT DIMENSIONS: CHANDLER COIL DIMENSIONS: TYPICAL BOX DIMENSIONS : SEE UNIT FOOT NOTES on page two: ADD For 4 Year Ext. Comp. Warranty: ALTERNATE Coil Style or Volt/Phase:	O DEG LOW TEMP -10 DEG  7/8 ID suction 3/8 ID liquid  <b>R-404A/507 / 2 1/2 HP</b> RECEIVER cap. 9# 90% full D 28.25 W 37.75 H 17.25 H 15 D 13-1/2 L 61-3/4 <b>12 X 20 X 8</b> <b>4,5,6,8,16,30,32</b> <b>Outdoor Unit, Chandler</b> -----	HCR CHT025L6BF1-230208 stock 2135.83 HCR ELC120BK 230-1ph 1095.42 ALC HFE1 1/2RW-sweat 63.95 JNC A419ABC-1C 58.19 ALC 200RB3T3 34.62 ALC AMG-VOLT 27.69 <b>TOTAL</b> 3415.70 Outdoor unit, W/drier, sight glass, hi, low and head pressure controls, CC heater and defrost timer. HCR CF09K6E-Comp Warranty 158.58 3-230208 3 PH adder, non-stock 89.83

APPLICATION TEMPERATURE:	O DEG LOW TEMP	TPC VSA9526ZTBHG3-230200 non-stock	2678.50
SUCTION TEMP. AT DESIGN:	-10 DEG	HCR ELC140BK 230-1ph	1279.97
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>13470</b>	ALC HFES1-1/2RC ANG-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 1/2 S	ALC EK-084S	13.66
REFRIGERANT / COMP. HP	<b>R-404A / 3.4 HP</b>	ALC HMI-1TT4	17.22
SPECIAL FEATURES:	RECEIVER cap. 27.6# 90% full	JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 54 W 35.6 H 31	ALC 200RB4T4-T	49.23
CHANDLER COIL DIMENSIONS:	H 15 D 13-1/2 L 61-3/4	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	<b>12 X 20 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,21,30,32,33</b>	<b>TOTAL</b>	4319.01
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Tecumseh Scroll</b>	TPC VSA9524ZTB-Comp Warranty	187.72

APPLICATION TEMPERATURE:	O DEG LOW TEMP	TPC AVA2515ZXNXC1-230208 non-stock	1805.22
SUCTION TEMP. AT DESIGN:	-10 DEG	HCR ELC160BK 230-1ph	1459.64
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>14475</b>	ALC HFE2RW-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 3/8 S	ALC EK-163S	16.76
REFRIGERANT / COMP. HP	<b>R-404A / 4 HP</b>	ALC HMI-1TT3	14.35
SPECIAL FEATURES:	RECEIVER cap. 12# 90% full	JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 25 W 33.6 H 19.5	ALC 200RB3T3	34.62
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 77.5	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	<b>14 X 20 X 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,8,30</b>	<b>TOTAL</b>	3611.02
ADD For 4 Year Ext. Comp. Warranty:	-----	TPC AVA2512Z-Comp Warranty	159.56
ALTERNATE Coil Style or Volt/Phase:	-----	3-230208 VOLT 3PH adder	84.48
CON - PAK's Best Weather Enclosure	-----	RDM PSE-241D	429.99

APPLICATION TEMPERATURE:	O DEG LOW TEMP	HCR CHT031L6BF1-230208 non-stock	2497.31
SUCTION TEMP. AT DESIGN:	-10 DEG	HCR ELC160BK 230-1ph	1459.64
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>16931</b>	ALC HFE2RW-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 ID suction 1/2 ID liquid	JNC A419ABC-1C	58.19
REFRIGERANT / COMP. HP	<b>R-404A/507 B1469/ 3 HP</b>	ALC 200RB4T4-T	49.23
SPECIAL FEATURES:	RECEIVER cap. 14# 90% full	ALC AMG-VOLT	27.69
CONDENSING UNIT DIMENSIONS:	D 28.25 W 37.75 H 19.75	<b>TOTAL</b>	4156.01
CHANDLER COIL DIMENSIONS:	H 15 D 15 L 77.5	Outdoor unit, W/drier, sight glass, hi, low and head pressure controls, CC heater and defrost timer.	
TYPICAL BOX DIMENSIONS :	<b>14 X 24 X 8</b>	HCR CF12K6E-Comp Warranty	159.81
SEE UNIT FOOT NOTES on page two:	<b>4,5,6,8,16,30,31,32</b>	3-230208 3 PH adder, non-stock	38.19
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Chandler</b>		
ALTERNATE Coil Style or Volt/Phase:	-----		

APPLICATION TEMPERATURE:	O DEG LOW TEMP	TPC VSA9542ZXTHG3-230200 non-stock	2961.78
SUCTION TEMP. AT DESIGN:	-10 DEG	HCR ELC240BK 230-1ph	2097.64
SYSTEM DESIGN B.T.U. @ 90° Amb:	<b>22379</b>	ALC HFES3-1/2RC ANG-sweat	63.95
SUCTION / LIQUID LINE SIZE:	7/8 S / 1/2 S	ALC EK-084S	13.66
REFRIGERANT / COMP. HP	<b>R-404A / 5.1 HP</b>	ALC HMI-1TT4	17.22
SPECIAL FEATURES:	RECEIVER cap. 27.6# 90% full	JNC A419ABC-1C	58.19
CONDENSING UNIT DIMENSIONS:	L 54 W 35.6 H 31	ALC 200RB4T4-T	49.23
CHANDLER COIL DIMENSIONS:	H 15 D 13-1/2 L 109-3/4	ALC AMG-VOLT	27.69
TYPICAL BOX DIMENSIONS :	<b>20 X 24 8</b>	GRA DTMV40 timer	130.60
SEE UNIT FOOT NOTES on page two:	<b>5,6,8,16,19,21,30,32,33</b>	<b>TOTAL</b>	5419.96
ADD For 4 Year Ext. Comp. Warranty:	<b>Outdoor Unit, Tecumseh Scroll</b>	TPC VSA9536ZXT-Comp Warranty	211.59

**Note: Note: Receiver capacities are listed**